

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 3774-0923:101 Page 1 of 1

CATEGORY: Electric Locks

LISTEE: Securitron Magnalock, 550 Vista Blvd., Sparks, NV 89434
Contact: Erik Strauss (775) 355-5625

DESIGN: Models Series 32, 34, 62, 82 SAM and *SAM2 exit locks with suffix -C, -DV, -S, -L, -F or -G. Unit consists of a lock assembly, door mounting hardware and means for connecting to a remote control circuit. Refer to listee's data sheet for detailed product description and operational considerations.

RATING: 12 or 24 VDC

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances, Uniform Building Code, NFPA 101 and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, product designation, electrical rating and UL label.

APPROVAL: Listed as electromagnetic locks for use on non-rated door assemblies to prevent unauthorized entry when the building is unoccupied. Authority having jurisdiction shall be consulted prior to installation.

NOTE: Formerly 4138-0923:101

*Rev. 12-15-2002 IPI



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

JUNE 20, 2003

*Listing Expires **June 30, 2004***

Authorized By:

DIANE K. AREND, Senior Deputy
Program Manager